




Rasmi Global Electronics LLC
Suite#2803, Saeed tower 2
Sheikh Zayed Road
P.O. Box 243134
Dubai, U.A.E.
Tel: +971 4 35 777 17
Fax: + 971 4 35 771 11
Email: info@rasmiglobal.com

Rasmi LED Lighting Ltd
Morrison Road, Stanley
Co. Durham
Dh9 7RX
United Kingdom
Tel: +44 (0) 1207 288700
+44 (0) 1207 291300
Email: lighting@rasmi.com

LED LIGHTING



DECORATIVE LIGHTING SERIES



www.rasmiled.com



Rasmi Lighting Ltd UK is a leading, innovative designer and manufacturer of LED lighting systems from the United Kingdom. Since 1974, Rasmi UK has been the pioneers of general lighting industry, and since 2003, we have been specialising exclusively in LED lighting.

From our R&D and production facilities based in the United Kingdom, Rasmi lighting specialists are constantly developing lighting designs that are energy-efficient with the utmost quality which translate into lighting technologies and luminaires that are consumer-friendly and price-competitive.

Rasmi UK offers world-class outdoor lighting solutions to its global clients. Our customer base includes some of the biggest corporations in the world. Rasmi UK puts paramount importance into the quality, safety, and sustainability of the outdoor luminaires, which are fully customisable to meet the needs and the requirements of clients.


Our extensive range of outdoor lighting product portfolio includes inground lighting, deck lighting, underwater lighting, landscape lighting, wall lighting, step lighting, projector lighting, linear lighting, and wall washer.

CONTENTS


1 CHANDELIERS




2 PENDANT LIGHTS




3 WALL LAMPS



4 TABLE LAMPS



5 FLOOR LAMPS



rasmi

COLOURS & FINISHES



RASMI DECORATIVE LUMINAIRES COME IN VARIOUS COLOURS & FINISHES.
BESPOKE COLOURS & FINISHES OPTIONS ARE AVAILABLE UPON REQUEST.

AA

ANONISED ALUMINIUM

AB

ANTIQUE BRASS

BA

BRUSHED ALUMINIUM

BK

BLACK

BN

BRUSHED NICKEL

BR

BRONZE

BSS

BRUSHED STAINLESS STEEL

C

CERAMIC

CA

CLEAR ACRYLIC

CB

COASTAL BRASS

CR

CREAM

FR

FROSTED GLASS

LG

LIGHT GREY

M

MIRROR

MB

MATT BLACK

MC

MATT CONCRETE

MG

MATT GOLD

MN

MATT NICKEL

MS

MATT SILVER

MW

MATT WHITE

NB

NATURAL BRASS

P

PLASTER

PA

POLISHED ALUMINIUM

PC

POLISHED CHROME

PCO

POLISHED COPPER

PN

POLISHED NICKEL

PRG

POLISHED ROSE GOLD

PSS

POLISHED STAINLESS STEEL

TB

TEXTURED BLACK

TG

TEXTURED GREY

TW

TEXTURED WHITE

W

WALNUT

WG

WHITE GLASS

WH

WHITE



raSmi

1


CHANDELIERS



CRYSTAL CHANDELIERS



SPECIALLY CRAFTED CRYSTAL



EXCLUSIVE BESPOKE DESIGN

RAS-CC-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-01-D60	D: 600mm X H: 900mm	2700K -6000K	20	45°

RAS-CC-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-03-D45	D: 450mm X H: 180mm	2700K -6000K	20	45°
RAS-CC-03-D60	D: 600mm X H: 300mm			
RAS-CC-03-D80	D: 800mm X H: 330mm			
RAS-CC-03-D100	D: 1000mm X H: 350mm			

RAS-CC-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-02-D45	D: 450mm X H: 230mm	2700K -6000K	20	45°
RAS-CC-02-D50	D: 500mm X H: 250mm			
RAS-CC-02-D60	D: 600mm X H: 280mm			
RAS-CC-02-D70	D: 700mm X H: 310mm			
RAS-CC-02-D80	D: 800mm X H: 410mm			
RAS-CC-02-D100	D: 1000mm X H: 450mm			

RAS-CC-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-04-D40	D: 400mm X H: 300mm	2700K -6000K	20	45°
RAS-CC-04-D45	D: 450mm X H: 300mm			

RAS-CC-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-05-D60	D: 600mm	2700K -6000K	20	45°
RAS-CC-05-D80	D: 800mm			
RAS-CC-05-D100	D: 1000mm			

RAS-CC-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-07-D60	D: 600mm X H: 260mm, 2 layers	2700K -6000K	20	45°
RAS-CC-07-D80	D: 800mm X H: 260mm, 3 layers			
RAS-CC-07-D100	D: 1000mm X H: 280mm, 3 layers			

RAS-CC-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-03-D60	D: 600mm	2700K -6000K	20	45°
RAS-CC-03-D80	D: 800mm			
RAS-CC-03-D100	D: 1000mm			

RAS-CC-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-08-D60	D: 600mm X H: 350mm, 2 Layers	2700K -6000K	20	45°
RAS-CC-08-D80-2	D: 800mm X H: 350mm, 2 Layers			
RAS-CC-08-D80-3	D: 800mm X H: 450mm, 3 Layers			
RAS-CC-08-D100	D: 1000mm X H: 450mm, 3 Layers			
RAS-CC-08-D120	D: 1200mm X H: 450mm, 3 Layers			
RAS-CC-08-D150	D: 1500mm X H: 450mm, 3 Layers			
RAS-CC-08-D180	D: 1800mm X H: 450mm, 3 Layers			

RAS-CC-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED G4 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-09-D50	D: 500mm	2700K -6000K	20	45°
RAS-CC-09-D60	D: 600mm			
RAS-CC-09-D80	D: 800mm			

RAS-CC-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-10-D60	D: 600mm X H: 250mm	2700K -6000K	20	45°
RAS-CC-10-D80	D: 800mm X H: 290mm			
RAS-CC-10-D100	D: 1000mm X H: 290mm			

RAS-CC-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-11-D50	D: 500mm	2700K -6000K	20	45°
RAS-CC-11-D60	D: 600mm			
RAS-CC-11-D100	D: 1000mm			

RAS-CC-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-12-D26	D: 260mm	2700K -6000K	20	45°
RAS-CC-12-D36	D: 360mm			
RAS-CC-12-D46	D: 460mm			

RAS-CC-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-17-D20	D: 200mm	2700K -6000K	20	45°
RAS-CC-17-D25	D: 250mm			
RAS-CC-17-D30	D: 300mm			
RAS-CC-17-D35	D: 350mm			
RAS-CC-17-D40	D: 400mm			
RAS-CC-17-D50	D: 500mm			
RAS-CC-17-D60	D: 600mm			

RAS-CC-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED SMD 2835 CHIPS
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-18-L40	L: 400mm XW: 400mm	2700K -6000K	20	45°
RAS-CC-18-L60	L: 600mm XW: 600mm			

RAS-CC-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-19-D100	D: 1000mm X H: 1500mm	2700K -6000K	20	45°
RAS-CC-19-D200	D: 2000mm X H: 3000mm			

RAS-CC-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED SMD 2835 CHIPS
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-20-D50	D: 500mm X H: 250mm	2700K -6000K	20	45°
RAS-CC-20-D60	D: 600mm X H: 250mm			
RAS-CC-20-D80	D: 800mm X H: 270mm			

RAS-CC-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-13-D48	D: 480mm X H: 370mm	2700K -6000K	20	45°
RAS-CC-13-D65	D: 480mm X H: 650mm			

RAS-CC-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-14-D45	D: 450mm X H: 300mm	2700K -6000K	20	45°
RAS-CC-14-D50	D: 500mm X H: 300mm			
RAS-CC-14-D60	D: 600mm X H: 300mm			
RAS-CC-14-D80	D: 800mm X H: 300mm			
RAS-CC-14-D100	D: 1000mm X H: 300mm			

RAS-CC-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-15-D45	D: 450mm	2700K -6000K	20	45°
RAS-CC-15-D50	D: 500mm			
RAS-CC-15-D60	D: 600mm			
RAS-CC-15-D100	D: 1000mm			

RAS-CC-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-16-D65	D: 650mm X H: 350mm	2700K -6000K	20	45°
RAS-CC-16-D70	D: 700mm X H: 350mm			
RAS-CC-16-D80	D: 800mm X H: 400mm			

RAS-CC-21A



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	BLACK / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-21A-D50	D: 500mm X H: 210mm	2700K -6000K	20	45°
RAS-CC-21A-D65	D: 650mm X H: 210mm			
RAS-CC-21A-D80	D: 800mm X H: 210mm			
RAS-CC-21A-D100	D: 1000mm X H: 210mm			

RAS-CC-21B



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	BLACK / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-21B-L60	L: 600mm X W: 300mm X H: 270mm	2700K -6000K	20	45°
RAS-CC-21B-L80	L: 800mm X W: 300mm X H: 270mm			
RAS-CC-21B-L100	L: 1000mm X W: 300mm X H: 270mm			
RAS-CC-21B-L120	L: 1200mm X W: 300mm X H: 270mm			

RAS-CC-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-22-D50	D: 500mm	2700K -6000K	20	45°
RAS-CC-22-D60	D: 600mm			
RAS-CC-22-D80	D: 800mm			
RAS-CC-22-D100	D: 1000mm			
RAS-CC-22-D120	D: 1200mm			

RAS-CC-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-23-D40-1	D: 400mm X H: 500mm	2700K -6000K	20	45°
RAS-CC-23-D40-2	D: 400mm X H: 600mm			
RAS-CC-23-D60	D: 600mm X H: 700mm			
RAS-CC-23-D70	D: 700mm X H: 800mm			
RAS-CC-23-D80	D: 800mm X H: 900mm			
RAS-CC-23-D100	D: 1000mm X H: 1200mm			

RAS-CC-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-24-D50	D: 500mm X H: 280mm	2700K -6000K	20	45°
RAS-CC-24-D60	D: 600mm X H: 280mm			
RAS-CC-24-D90	D: 900mm X H: 280mm			
RAS-CC-24-D100	D: 1000mm X H: 300mm			
RAS-CC-24-D120	D: 1200mm X H: 300mm			

RAS-CC-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-25-D15	D: 150mm X H: 260mm	2700K -6000K	20	45°
RAS-CC-25-D20	D: 200mm X H: 260mm			
RAS-CC-25-D30	D: 250mm X H: 260mm			
RAS-CC-25-D40	D: 300mm X H: 280mm			
RAS-CC-25-D50	D: 400mm X H: 300mm			
RAS-CC-25-D60	D: 500mm X H: 300mm			
RAS-CC-25-D80	D: 800mm X H: 300mm			

RAS-CC-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-26-D38	D: 380mm X H: 400mm	2700K -6000K	20	45°
RAS-CC-26-D48	D: 480mm X H: 450mm			
RAS-CC-26-D58	D: 580mm X H: 450mm			
RAS-CC-26-D78	D: 780mm X H: 500mm			

RAS-CC-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-27-D40	D: 400mm X H: 220mm	2700K -6000K	20	45°
RAS-CC-27-D60	D: 600mm X H: 360mm			
RAS-CC-27-D80	D: 800mm X H: 380mm			
RAS-CC-27-D100	D: 1000mm X H: 420mm			
RAS-CC-27-D120	D: 1200mm X H: 480mm			
RAS-CC-27-D150	D: 1500mm X H: 530mm			
RAS-CC-27-D180	D: 1800mm X H: 650mm			

RAS-CC-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-28-D40	D: 400mm	2700K -6000K	20	45°
RAS-CC-28-D60	D: 600mm			
RAS-CC-28-D80	D: 800mm			

RAS-CC-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-29-D40	D: 400mm X H: 500mm	2700K -6000K	20	45°

RAS-CC-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-30-D30	D: 300mm X H: 350mm	2700K -6000K	20	45°
RAS-CC-30-D40	D: 400mm X H: 450mm			
RAS-CC-30-D55	D: 550mm X H: 580mm			

RAS-CC-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-31-D15	D: 150mm X H: 230mm	2700K -6000K	20	45°
RAS-CC-31-D20	D: 200mm X H: 240mm			
RAS-CC-31-D25	D: 250mm X H: 280mm			
RAS-CC-31-D35	D: 350mm X H: 280mm			
RAS-CC-31-D40	D: 400mm X H: 320mm			

RAS-CC-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-32-D45	D: 450mm X H: 350mm	2700K -6000K	20	45°
RAS-CC-32-D60	D: 600mm X H: 450mm			
RAS-CC-32-D80	D: 800mm X H: 460mm			
RAS-CC-32-D95	D: 950mm X H: 560mm			

RAS-CC-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-33-D40	D: 400mm	2700K -6000K	20	45°
RAS-CC-33-D50	D: 500mm			
RAS-CC-33-D60	D: 600mm			

RAS-CC-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-34-D40	D: 400mm X H: 350mm	2700K -6000K	20	45°
RAS-CC-34-D50	D: 500mm X H: 400mm			
RAS-CC-34-D60	D: 600mm X H: 450mm			
RAS-CC-34-D80	D: 800mm X H: 550mm			
RAS-CC-34-D100	D: 1000mm X H: 650mm			
RAS-CC-34-D120	D: 1200mm X H: 750mm			

RAS-CC-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-35-D50	D: 500mm X H: 310mm	2700K -6000K	20	45°
RAS-CC-35-D60	D: 600mm X H: 330mm			
RAS-CC-35-D80	D: 800mm X H: 380mm			
RAS-CC-35-D100	D: 1000mm X H: 410mm			
RAS-CC-35-D120	D: 1200mm X H: 500mm			

RAS-CC-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-36-L60	L: 600mm X W: 400mm X H: 400mm	2700K -6000K	20	45°
RAS-CC-36-L70	L: 700mm X W: 400mm X H: 500mm			
RAS-CC-36-L80	L: 800mm X W: 600mm X H: 400mm			
RAS-CC-36-L100	L: 1000mm X W: 700mm X H: 400mm			

RAS-CC-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED SMD 2835 CHIP
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-37-D35	D: 350mm X H: 250mm	2700K -6000K	20	45°
RAS-CC-37-D45	D: 450mm X H: 250mm			
RAS-CC-37-D55	D: 550mm X H: 300mm			
RAS-CC-37-D85	D: 850mm X H: 350mm			
RAS-CC-37-D86	D: 860mm X H: 450mm			

RAS-CC-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED SMD 2835 CHIP
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-38-D60	D: 600mm	2700K -6000K	20	45°
RAS-CC-38-D70	D: 700mm			
RAS-CC-38-D95	D: 950mm			
RAS-CC-38-D115	D: 1150mm			

RAS-CC-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED SMD 2835 CHIP
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-39-D50	D: 500mm	2700K -6000K	20	45°

RAS-CC-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-37-D51	D: 510mm X H: 340mm	2700K -6000K	20	45°
RAS-CC-37-D69	D: 690mm X H: 340mm			
RAS-CC-37-D83	D: 830mm X H: 340mm			
RAS-CC-37-D95	D: 950mm X H: 340mm			

RAS-CC-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED SMD 2835 CHIP
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-41-D30	D: 300mm	2700K -6000K	20	45°
RAS-CC-41-D40	D: 400mm			
RAS-CC-41-D50	D: 500mm			

RAS-CC-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-42-D48	D: 480mm	2700K -6000K	20	45°
RAS-CC-42-D60	D: 600mm			
RAS-CC-42-D80	D: 800mm			

RAS-CC-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED GU10 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-43-D35	D: 350mm X H: 600mm	2700K -6000K	20	45°
RAS-CC-43-D50	D: 500mm X H: 780mm			
RAS-CC-43-D60	D: 600mm X H: 900mm			
RAS-CC-43-D80	D: 800mm X H: 1030mm			

RAS-CC-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-44-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-44-D400	D: 4000mm			
RAS-CC-44-D500	D: 5000mm			

RAS-CC-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-45-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-45-D400	D: 4000mm			
RAS-CC-45-D500	D: 5000mm			

RAS-CC-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-46-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-46-D400	D: 4000mm			
RAS-CC-46-D500	D: 5000mm			

RAS-CC-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-47-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-47-D400	D: 4000mm			
RAS-CC-47-D500	D: 5000mm			

RAS-CC-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-48-D100	D: 1000mm	2700K -6000K	20	45°
RAS-CC-48-D200	D: 2000mm			
RAS-CC-48-D300	D: 3000mm			

RAS-CC-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-49-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-49-D400	D: 4000mm			
RAS-CC-49-D500	D: 5000mm			

RAS-CC-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-50-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-50-D400	D: 4000mm			
RAS-CC-50-D500	D: 5000mm			

RAS-CC-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-51-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-51-D400	D: 4000mm			
RAS-CC-51-D500	D: 5000mm			

RAS-CC-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-52-D100	D: 1000mm	2700K -6000K	20	45°
RAS-CC-52-D200	D: 2000mm			
RAS-CC-52-D300	D: 3000mm			

RAS-CC-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-53-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-53-D400	D: 4000mm			
	D: 5000mm			

RAS-CC-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-54-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-54-D400	D: 4000mm			
RAS-CC-54-D500	D: 5000mm			

RAS-CC-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-55-D100	D: 1000mm	2700K -6000K	20	45°
RAS-CC-55-D200	D: 2000mm			
RAS-CC-55-D300	D: 3000mm			

RAS-CC-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-56-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-56-D400	D: 4000mm			
RAS-CC-56-D500	D: 5000mm			

RAS-CC-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-57-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-57-D400	D: 4000mm			
RAS-CC-57-D500	D: 5000mm			

RAS-CC-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-58-D300	D: 3000mm	2700K -6000K	20	45°
RAS-CC-58-D400	D: 4000mm			
RAS-CC-58-D500	D: 5000mm			

RAS-CC-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-59-D100	D: 1000mm	2700K -6000K	20	45°
RAS-CC-59-D200	D: 2000mm			
RAS-CC-59-D300	D: 3000mm			

RAS-CC-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-60-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-60-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-60-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-60-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-60-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-60-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-62-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-62-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-62-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-62-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-62-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-62-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-61-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-61-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-61-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-61-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-61-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-61-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-63-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-63-D58-1	D: 580mm X H: 600mm, 6 lights			
RAS-CC-63-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-63-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-63-D85-2	D: 850mm X H:820mm, 12 lights			
RAS-CC-63-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-64



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-64-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-64-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-64-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-64-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-64-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-64-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-65



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-65-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-65-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-65-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-65-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-65-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-65-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-66



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-66-D110	D: 1100mm X H: 1700mm, 22 lights	2700K -6000K	20	45°
RAS-CC-66-D120-1	D: 1200mm X H: 1700mm, 28 lights			
RAS-CC-66-D120-2	D: 1200mm X H: 1700mm, 30 lights			
RAS-CC-66-D130	D: 1300mm X H: 1700mm, 32 lights			
RAS-CC-66-D140	D: 1400mm X H: 1700mm, 36 lights			

RAS-CC-67



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-67-D140	D: 1400mm X H: 1700mm,36 lights	2700K -6000K	20	45°

RAS-CC-68



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-68-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-68-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-68-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-68-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-68-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-68-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-69



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-69-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-69-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-69-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-69-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-69-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-69-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-70



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-70-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-70-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-70-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-70-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-70-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-70-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-71



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-71-D70	D: 700mm X H: 800mm, 8 lights	2700K -6000K	20	45°
RAS-CC-71-D86-1	D: 860mm X H: 740mm, 12 lights			
RAS-CC-71-D86-2	D: 860mm X H: 980mm, 18 lights			

RAS-CC-72



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-72-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-72-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-72-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-72-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-72-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-72-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-73



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-73-D85	D: 850mm X H: 980mm, 15 lights	2700K -6000K	20	45°
RAS-CC-73-D110	D: 1100mm X H: 1250mm, 24 lights			

RAS-CC-74



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-74-D140	D: 1400mm X H: 2000mm,47 lights	2700K -6000K	20	45°

RAS-CC-75



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-75-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-75-D58-1	D: 580mm X H: 600mm, 6 lights			
RAS-CC-75-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-75-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-75-D85-2	D: 850mm X H:820mm, 12 lights			
RAS-CC-75-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-76



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-76-D150-1	D: 1500mm X H: 1600mm, 30 lights	2700K -6000K	20	45°
RAS-CC-76-D150-2	D: 1500mm X H: 1600mm, 36 lights			

RAS-CC-77



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-77-D65	D: 650mm X H: 650mm, 6 lights	2700K -6000K	20	45°
RAS-CC-77-D80	D: 800mm X H: 650mm, 8 lights			
RAS-CC-77-D90	D: 900mm X H: 650mm, 10 lights			

RAS-CC-78



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-78-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-78-D58-2	D: 580mm X H: 600mm, 6 lights			
RAS-CC-78-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-78-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-78-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-78-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-79



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-79-D58-1	D: 580mm X H: 600mm, 5 lights	2700K -6000K	20	45°
RAS-CC-79-D58-1	D: 580mm X H: 600mm, 6 lights			
RAS-CC-79-D72	D: 720mm X H: 600mm, 8 lights			
RAS-CC-79-D85-1	D: 850mm X H: 600mm, 10 lights			
RAS-CC-79-D85-2	D: 850mm X H: 820mm, 12 lights			
RAS-CC-79-D85-3	D: 850mm X H: 820mm, 15 lights			

RAS-CC-80

LUMINAIRE SPECIFICATIONS



DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-80-D60	D: 600mm X H: 510mm, 8 lights	2700K -6000K	20	45°
RAS-CC-80-D66	D: 660mm X H: 650mm, 10 lights			
RAS-CC-80-D80-1	D: 800mm X H: 770mm, 12 lights			
RAS-CC-80-D80-2	D: 800mm X H: 800mm, 15 lights			
RAS-CC-80-D88-1	D: 880mm X H: 910mm, 18 lights			
RAS-CC-80-D88-2	D: 880mm X H: 910mm, 24 lights			

RAS-CC-81

LUMINAIRE SPECIFICATIONS



DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-81-D170	D: 1700mm X H: 2500mm, 5 lights	2700K -6000K	20	45°

RAS-CC-82

LUMINAIRE SPECIFICATIONS



DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-82-D120-1	D: 1200mm X H: 900mm, 18 lights	2700K -6000K	20	45°
RAS-CC-82-D120-2	D: 1200mm X H: 1000mm, 20 lights			
RAS-CC-82-D150-1	D: 1500mm X H: 1200mm, 28 lights			
RAS-CC-82-D150-2	D: 1500mm X H: 1900mm, 50 lights			

RAS-CC-83

LUMINAIRE SPECIFICATIONS




DESCRIPTION	CHANDELIER
TYPE	CRYSTAL
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-CC-83-D200	D: 2000mm X H: 2500mm, 105 lights	2700K -6000K	20	45°
RAS-CC-83-D260	D: 2600mm X H: 3600mm, 162 lights			



ARM CHANDELIERS



HIGH PURITY ALUMINIUM, BRASS & COPPER



MULTIPLE LAMP FABRIC OPTIONS

RAS-AC-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-01-D61	D: 610mm X H: 450mm, 3 lights	2700K -6000K	20	45°
RAS-AC-01-D68	D: 680mm X H: 450mm, 5 lights			

RAS-AC-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-02-D66	D: 660mm X H: 520mm, 5 lights	2700K -6000K	20	45°

RAS-AC-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-03-D61	D: 610mm X H: 420mm, 5 lights	2700K -6000K	20	45°

RAS-AC-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-04-D56	D: 560mm X H: 420mm, 3 lights	2700K -6000K	20	45°
RAS-AC-04-D64	D: 640mm X H: 475mm, 5 lights			

RAS-AC-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-05-D63	D: 630mm X H: 440mm, 3 lights	2700K -6000K	20	45°

RAS-AC-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-06-D57	D: 570mm X H: 450mm, 3 lights	2700K -6000K	20	45°
RAS-AC-06-D63	D: 630mm X H: 465mm, 5 lights			

RAS-AC-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-07-D60	D: 600mm X H: 400mm, 3 lights	2700K -6000K	20	45°
RAS-AC-07-D68	D: 680mm X H: 400mm, 5 lights			

RAS-AC-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-08-D73-1	D: 730mm X H: 560mm, 4 lights	2700K -6000K	20	45°
RAS-AC-08-D73-2	D: 730mm X H: 560mm, 6 lights			

RAS-AC-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-09-D68	D: 680mm X H: 450mm, 5 lights	2700K -6000K	20	45°
RAS-AC-09-D86	D: 860mm X H: 450mm, 7 lights			

RAS-AC-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED G9 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-10-D58	D: 580mm X H: 550mm, 5 lights	2700K -6000K	20	45°

RAS-AC-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-11-D68	D: 680mm X H: 450mm, 6 lights	2700K -6000K	20	45°
RAS-AC-11-D86	D: 860mm X H: 450mm, 8 lights			

RAS-AC-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS & METAL WITH CRYSTAL
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-12-D73-1	D: 730mm X H: 560mm, 4 lights	2700K -6000K	20	45°
RAS-AC-12-D73-2	D: 730mm X H: 560mm, 6 lights			

RAS-AC-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-13-D68	D: 680mm X H: 450mm, 4 lights	2700K -6000K	20	45°
RAS-AC-13-D86	D: 860mm X H: 450mm, 6 lights			

RAS-AC-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH LAMP SHADE
COLOUR	CHROME / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-14-D66	D: 660mm X H: 520mm, 6 lights	2700K -6000K	20	45°

RAS-AC-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-15-D95	D: 950mm X H: 600mm, 8 lights	2700K -6000K	20	45°

RAS-AC-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-16-D850	D: 850mm X H: 530mm, 8 lights	2700K -6000K	20	45°

RAS-AC-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-17-D84	D: 840mm X H: 780mm, 6 lights	2700K -6000K	20	45°

RAS-AC-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-18-D90	D: 900mm X H: 500mm, 8 lights	2700K -6000K	20	45°

RAS-AC-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-19-D87	D: 870mm X H: 890mm, 8 lights	2700K -6000K	20	45°

RAS-AC-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BLACK / BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-20-D85	D: 850mm X H: 1000mm, 8 lights	2700K -6000K	20	45°

RAS-AC-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-21-D77	D: 770mm X H: 550mm,8 lights	2700K -6000K	20	45°

RAS-AC-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BLACK / BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-22-D88	D: 880mm X H: 600mm, 8 lights	2700K -6000K	20	45°

RAS-AC-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-23-D77	D: 770mm X H: 660mm, 6 lights	2700K -6000K	20	45°

RAS-AC-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BLACK / BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-24-D650	D: 650mm X H: 700mm, 8 lights	2700K -6000K	20	45°

RAS-AC-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-25-D98	D: 980mm X H: 760mm,8 lights	2700K -6000K	20	45°

RAS-AC-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	CHANDELIER
TYPE	ARM
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH LAMP SHADE
COLOUR	BLACK / BRONZE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-AC-26-D88	D: 880mm X H: 1280mm, 6 lights	2700K -6000K	20	45°

raSmi

2

PENDANT LIGHTS



MODERN PENDANT LIGHTS



CREATES MODERN AMBIENCE



CUSTOMISABLE DESIGN



MODERN PENDANT LIGHTS

RAS-MP-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 100mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 170mm X H: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 170mm X H: 280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / GREEN
DIMENSIONS	D: 185mm X H: 310mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 140mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 150mm X H: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 230mm X H: 150mm (M) D: 280mm X H: 190mm (L) D: 345mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	GLOSSY BLACK / WHITE / GREY
DIMENSIONS	D: 160mm X H: 310mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 180mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 185mm X H: 310mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 120mm X H: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY / YELLOW
DIMENSIONS	D: 200mm X H: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 140mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / PINK
DIMENSIONS	D: 230mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 190mm X H: 290mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 165mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 410mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / PINK
DIMENSIONS	(S) D: 250mm X H: 180mm (L) D: 400mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 240mm X H: 190mm (L) D: 330mm X H: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY / SILVER
DIMENSIONS	(S) D: 205mm X H: 290mm (L) D: 300mm X H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 270mm X H: 220mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 185mm X H: 390mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 170mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 360mm X H: 190mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY / SILVER
DIMENSIONS	D: 255mm X H: 235mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY / GOLD
DIMENSIONS	D: 140mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 240mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 370mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 350mm X H: 270mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY / SILVER
DIMENSIONS	D: 270mm X H: 280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	POLISHED ALUMINIUM
COLOUR	BLACK / WHITE / GREY / GOLD
DIMENSIONS	D: 300mm X H: 190mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 230mm X H: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 250mm X H: 270mm (L) D: 300mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 330mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 230mm X H: 185mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 245mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 230mm X H: 230mm (L) D: 300mm X H: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / PINK
DIMENSIONS	D: 300mm X H: 150mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / GREEN
DIMENSIONS	(S) D: 350mm X H: 140mm (M) D: 400mm X H: 160mm (L) D: 450mm X H: 185mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 320mm X H: 260mm (L) D: 360mm X H: 290mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 270mm X H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 190mm X H: 215mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 330mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 250mm X H: 220mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 390mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 170mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 280mm X H: 160mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / GOLD
DIMENSIONS	D: 330mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 250mm X H: 280mm (L) D: 300mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB / COB CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GREEN / BLACK / WHITE / GREY
DIMENSIONS	(S) D: 300mm X H: 200mm (M) D: 400mm X H: 250mm (L) D: 550mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-64



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 280mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-65



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 150mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-66



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / BLUE
DIMENSIONS	D: 350mm X H: 160mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-67



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 250mm X H: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-68



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 300mm X H: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-69



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-70



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 250mm X H: 225mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-71



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 260mm X H: 235mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-72



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 270mm X H: 290mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-73



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 300mm X H: 220mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-74



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 270mm X H: 280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-75



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 290mm X H: 280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-76



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 300mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-77



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 300mm X H: 260mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-78



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	(S) D: 270mm X H: 290mm (L) D: 300mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-79



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / ROSE GOLD
DIMENSIONS	D: 600mm X H: 360mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-80



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	(S) D: 200mm X H: 170mm (L) D: 260mm X H: 215mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-81



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL
COLOUR	BLACK / WHITE / GREY / YELLOW
DIMENSIONS	(S) D: 200mm X H: 170mm (L) D: 290mm X H: 225mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-82



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-83



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 280mm X H: 220mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-84



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 360mm X H: 180mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-85



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 400mm X H: 150mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-86



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 350mm X H: 240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-87



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY / YELLOW
DIMENSIONS	D: 400mm X H: 190mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-88



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 300mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-89



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 290mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MP-90



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 230mm X H: 260mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



GLASS PENDANT LIGHTS



SPECIAL GLASS FORMING TECHNIQUE FOR UNIQUE DESIGN

RAS-GP-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH COPPER
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 200mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH CRYSTAL
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 120mm X H: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH CRYSTAL
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 190mm X H: 190mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH CRYSTAL
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH CRYSTAL
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 300mm X H: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH CERAMICS
GLASS COLOUR	OPAQUE
DIMENSIONS	D: 160mm X H: 170mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 170mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / AMBER
DIMENSIONS	D: 220mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH COPPER
GLASS COLOUR	TRANSPARENT / AMBER
DIMENSIONS	D: 220mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / AMBER
DIMENSIONS	D: 220mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / AMBER
DIMENSIONS	D: 220mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	OPAQUE
DIMENSIONS	D: 300mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / BLACK
DIMENSIONS	D: 200mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 280mm X H: 265mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GREEN GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / GREEN
DIMENSIONS	D: 260mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / GREEN
DIMENSIONS	D: 260mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / B LACK
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / AMBER
DIMENSIONS	D: 260mm X H: 340mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / AMBER
DIMENSIONS	D: 260mm X H: 360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS WITH IRON
GLASS COLOUR	TRANSPARENT / OPAQUE
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 280mm X H: 140mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 280mm X H: 190mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 250mm X H: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 190mm X H: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 200mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 140mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT /BLACK / AMBER / PURPLE
DIMENSIONS	D: 210mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 210mm X H: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	OPAQUE
DIMENSIONS	(S) D: 150mm X H: 270mm (M) D: 200mm X H: 320mm (L) D: 250mm X H: 370mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	ROSE GOLD / GOLD / CHROME
DIMENSIONS	D: 250mm X H: 260mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	RED / GOLD / SILVER
DIMENSIONS	(S) D: 200mm X H: 200mm (L) D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	ROSE GOLD / GOLD / CHROME
DIMENSIONS	(S) D: 185mm X H: 110mm (L) D: 300mm X H: 165mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	AMBER / BLACK
DIMENSIONS	D: 250mm X H: 180mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 210mm X H: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	(S) D: 150mm (M) D: 200mm (L) D: 250mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT / GREEN / AMBER / RED
DIMENSIONS	D: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 215mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT / BLACK
DIMENSIONS	(S) D: 180mm (M) D: 230mm (L) D: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT / BLACK
DIMENSIONS	D: 180mm X H: 240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 145mm x H: 180mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 240mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 190mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-GP-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	GLASS
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
GLASS COLOUR	TRANSPARENT
DIMENSIONS	D: 200mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



ARABIC PENDANT LIGHTS



EXQUISITE & DELICATE DESIGN



TRADITIONAL ARABIC STYLE

RAS-AP-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 200mm X H: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 450mm X H: 700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRONZE / BRASS
DIMENSIONS	D: 115mm X H: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 200mm X H: 420mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 500mm X H: 710mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 850mm X H: 900mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 350mm X H: 650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB / LED SMD, COB CHIP
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BLACK
DIMENSIONS	D: 500mm X H: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 200mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 200mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB / LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 200mm X H: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	(S) D: 500mm X H: 800mm (M) D: 800mm X H: 1200mm (L) D: 1000mm X H: 680mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 235mm X H: 510mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 120mm X H: 480mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	(S) D: 200mm X H: 250mm (L) D: 800mm X H: 1000mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB / LED COB CHIP
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / BLACK
DIMENSIONS	(S) D: 350mm X H: 650mm (L) D: 400mm X H: 800mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 350mm X H: 650mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRONZE / BRASS
DIMENSIONS	(S) D: 200mm X H: 320mm (M) D: 280mm X H: 450mm (L) D: 330mm X H: 530mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 310mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 250mm X H: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS
DIMENSIONS	D: 200mm X H: 420mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 200mm X H: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 300mm X H: 500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 300mm X H: 700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-AP-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	ARABIC
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	BRASS WITH COPPER
COLOUR	BRASS / TIMBER
DIMENSIONS	D: 200mm X H: 430mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RETRO PENDANT LIGHTS



PERFECTLY SUITABLE FOR VINTAGE INTERIOR DESIGN

RAS-RP-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / WHITE
DIMENSIONS	(S) D: 300mm (M)D: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 320mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 310mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 100mm X H: 190mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / ANTIQUE BRASS
DIMENSIONS	(S) D: 320mm X H: 270mm (L) D: 420mm X H: 270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	(S) D: 350mm X H: 350mm (L) D: 450mm X H: 450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	(S) D: 300mm X H: 300mm (M) D: 600mm X H: 230mm (L) D: 1100mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 970mm X H: 580mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	HEMP ROPE
COLOUR	BROWN
DIMENSIONS	L: 1000mm, 2000mm, 3000mm, 5000mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 100mm X H: 190mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / ANTIQUE BRASS
DIMENSIONS	(S) D: 320mm X H: 270mm (L) D: 420mm X H: 270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	(S) D: 180mm X H: 190mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 150mm X H: 190mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 190mm X H: 150mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 140mm X H: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	(S) D: 260mm X H: 140mm (M) D: 300mm X H: 140mm (L) D: 360mm X H: 140mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / ANTIQUE BRASS
DIMENSIONS	(S) L: 800mm X W: 400mm X H: 720mm (M) L: 1000mm X W: 400mm X H: 720mm (L) L: 1200mm X W: 400mm X H: 720mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	(S) D: 300mm (M) D: 400mm (L) D: 500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 120mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	(S) D: 300mm X H: 230mm (M) D: 400mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	HEMP ROPE
COLOUR	BROWN
DIMENSIONS	D: 380mm X H: 260mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB / LED COB CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	(S) D: 290mm X H: 500mm (M) D: 335mm X H: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	BRASS / ANTIQUE BRASS
DIMENSIONS	D: 500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BLACK
DIMENSIONS	L: 780mm X W: 300mm X H: 290mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	D: 180 - 350mm X H: 180 - 1410mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm X H: 170mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GREY
DIMENSIONS	D: 600mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB / LED COB CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / GOLD
DIMENSIONS	(S) D: 390mm X H: 260mm (M) D: 1080mm X H: 780mm (L) D: 1750mm X H: 1100mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	BLACK / WHITE / TIMBER / WOOD
DIMENSIONS	D: 400mm X H: 260mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	BLACK / WHITE / TIMBER / WOOD
DIMENSIONS	D: 250mm X W: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	(S) D: 250mm X H: 260mm (M) D: 380mm X H: 260mm (L) D: 450mm X H: 260mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	L: 320mm X W: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 320mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB / LED COB CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 370mm X H: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 230mm X H: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 170mm X W: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / WHITE
DIMENSIONS	D: 500mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / ANTIQUE BRASS
DIMENSIONS	L: 220mm X W: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 880mm X H: 220mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB / LED COB CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 600mm X H: 150mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	(S) D: 520-990mm X H: 590mm (L) D: 540-1010mm X H: 620mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm, 300mm, 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-RP-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH HEMP ROPE
COLOUR	BLACK
DIMENSIONS	D: 930mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 400mm X W: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	BLACK
DIMENSIONS	D: 1200mm X H: 1130mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB / LED COB CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH HEMP ROPE
COLOUR	BLACK
DIMENSIONS	(S) D: 900mm X H: 280mm (L) D: 1500mm X H: 280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK
DIMENSIONS	D: 400mm X H: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH HEMP ROPE & GLASS
COLOUR	BLACK
DIMENSIONS	D: 200mm, 250mm, 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH HEMP ROPE
COLOUR	BLACK
DIMENSIONS	D: 1200mm X H: 880mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BLACK
DIMENSIONS	(S) L: 700mm X W: 250mm X H: 700mm (L) L: 950mm X W: 250mm X H: 700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RP-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BLACK
DIMENSIONS	(S) D: 150mm X H: 450mm (M) D: 220mm X H: 600mm (L) D: 280mm X H: 700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RING PENDANT LIGHTS



ELEGANT & PRACTICAL



MULTIPLE RING SHAPES

RING PENDANT LIGHTS



RAS-RGP-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-01-D60	D: 600mm X H: 250mm	2700K - 6000K	20	45°
RAS-RGP-01-D75	D: 750mm X H: 450mm			
RAS-RGP-01-D90	D: 900mm X H: 550mm			
RAS-RGP-01-D105	D: 1050mm X H: 770mm			
RAS-RGP-01-2R	Any 2-ring combination from above			
RAS-RGP-01-3R	Any 3-ring combination from above			
RAS-RGP-01-4R	Any 4-ring combination from above			

RAS-RGP-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-02-L69	L: 690mm X W: 200mm	2700K - 6000K	20	45°
RAS-RGP-02-L90	L: 900mm X H: 220mm			
RAS-RGP-02-L120	L: 1200mm X H: 260mm			

RAS-RGP-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-03-L100	L: 1000mm X W: 80mm	2700K -6000K	20	45°
RAS-RGP-03-L100D	L: 1000mm X W: 80mm	DIMMABLE		

RAS-RGP-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-04-D60	D: 600mm X H: 250mm	2700K -6000K	20	45°
RAS-RGP-04-D90	D: 900mm X H: 250mm			
RAS-RGP-04-D120	D: 1200mm X H: 280mm			

RAS-RGP-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GREY

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-05-D45	D: 450mm	2700K -6000K	20	45°
RAS-RGP-05-D45D		DIMMABLE		
RAS-RGP-05-D60	D: 600mm	2700K -6000K		
RAS-RGP-05-D60D		DIMMABLE		

RAS-RGP-06




LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-06-L80	L: 800mm X W: 35mm X H: 1200mm	2700K - 6000K	20	45°
RAS-RGP-06-L80D		DIMMABLE		
RAS-RGP-06-L105	L: 1050mm X W: 35mm X H: 1200mm	2700K - 6000K		
RAS-RGP-06-L105D		DIMMMABLE		

RAS-RGP-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-07-L22	L: 220mm X W: 180mm x H: 20mm	2700K -6000K	20	45°

RAS-RGP-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / GOLD / DARK BROWN

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-08-D40	D: 400mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-08-D50	D: 500mm			
RAS-RGP-08-D60	D: 600mm			
RAS-RGP-08-D80	D: 800mm			
RAS-RGP-08-D100	D: 1000mm			
RAS-RGP-08-2R	Any 2-ring combination from above			
RAS-RGP-08-3R	Any 3-ring combination from above			
RAS-RGP-08-4R	Any 4-ring combination from above			

RAS-RGP-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GREY

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-09-D40	D: 400mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-05-D60	D: 600mm			
RAS-RGP-05-D80	D: 800mm			
RAS-RGP-05-2R	Any 2-ring combination from above			
RAS-RGP-05-3R	Any 3-ring combination from above			

RAS-RGP-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-10-D40	D: 400mm	2700K - 6000K	20	45°
RAS-RGP-10-2XD40	2X D: 400mm			
RAS-RGP-10-3XD40	3X D: 400mm			
RAS-RGP-10-4XD40	4X D: 400mm			
RAS-RGP-10-5XD40	5X D: 400mm			



RING PENDANT LIGHTS

RAS-RGP-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-11-D46	D: 460mm	2700K -6000K	20	45°
RAS-RGP-11-D46D	D: 460mm	DIMMABLE		
RAS-RGP-11-D60	D: 600mm	2700K -6000K		
RAS-RGP-11-D60D	D: 600mm	DIMMABLE		
RAS-RGP-11-D76	D: 760mm	2700K -6000K		
RAS-RGP-11-D76D	D: 760mm	DIMMABLE		

RAS-RGP-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / GOLD / DARK BROWN

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-12-D40	D: 400mm X H: 200mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-12-D60	D: 600mm X H: 300mm			
RAS-RGP-12-D80	D: 800mm X H: 400mm			
RAS-RGP-12-2R	Any 2-ring combination from above			
RAS-RGP-12-3R	Any 3-ring combination from above			

RING PENDANT LIGHTS



RAS-RGP-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-13-L60	L: 600mm X H: 70mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-13-L80	L: 800mm X H: 70mm			
RAS-RGP-13-L100	L: 1000mm X H: 70mm			
RAS-RGP-13-L120	L: 1200mm X H: 70mm			
RAS-RGP-13-L150	L: 1500mm X H: 70mm			

RAS-RGP-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BROWN / BLACK

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-14-W17	L: 890mm X W: 170mm X H: 1200mm	2700K - 6000K	20	45°
RAS-RGP-14-W17D		DIMMABLE		
RAS-RGP-14-W27	L: 890mm X W: 270mm X H: 1200mm	2700K - 6000K		
RAS-RGP-14-W27		DIMMABLE		

RAS-RGP-15

LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD



PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-15-D20	D: 200mm x H: 450mm	2700K -6000K	20	45°
RAS-RGP-15-D40	D: 400mm X H: 450mm			
RAS-RGP-15-D60	D: 600mm X H: 450mm			

RAS-RGP-16

LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD



PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-16-D25	D: 250mm X H: 250mm	2700K -6000K	20	45°

RAS-RGP-17

LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE



PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-17-D20	D: 200mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-17-D40	D: 400mm			
RAS-RGP-17-D60	D: 600mm			
RAS-RGP-17-D80	D: 800mm			
RAS-RGP-17-D100	D: 1000mm			
RAS-RGP-17-2R	Any 2-ring combination from above			
RAS-RGP-17-3R	Any 3-ring combination from above			
RAS-RGP-17-4R	Any 4-ring combination from above			

RAS-RGP-18

LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD



PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-18-D20	D: 200mm X H: 150mm	2700K - 6000K DIMMABLE	20	45°
RAS-RGP-18-D40	D: 400mm X H: 150mm			
RAS-RGP-18-D60	D: 600mm X H: 150mm			
RAS-RGP-18-D80	D: 800mm X H: 150mm			
RAS-RGP-18-D100	D: 1000mm X H: 150mm			
RAS-RGP-18-2R	Any 2-ring combination from above			
RAS-RGP-18-3R	Any 3-ring combination from above			

RAS-RGP-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-19-D25	D: 250mm x H: 80mm	2700K -6000K	20	45°
RAS-RGP-19-D80	D: 800mm X H: 80mm			
RAS-RGP-19-D100	D: 1000mm X H: 450mm			

RAS-RGP-20




LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-20-D80	D: 800mm X H: 1200mm	2700K - 6000K	20	45°
RAS-RGP-20-D80D		DIMMABLE		
RAS-RGP-20-D105	D: 1050mm X H: 1200mm	27000K - 6000K		
RAS-RGP-20-D105D		DIMMABLE		

RAS-RGP-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-21-L20	L: 970mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-21-L20D				

RAS-RGP-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-22-D63	D: 630mm X H: 630mm	2700K - 6000K	20	45°

RAS-RGP-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-23-L120	L: 1200mm X H: 100mm	2700K -6000K	20	45°
RAS-RGP-23-L120D		DIMMABLE		

RAS-RGP-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-24-D80	D: 800mm X H: 1200mm	2700K - 6000K	20	45°
RAS-RGP-24-D80D		DIMMABLE		

RAS-RGP-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-25-2R-1	D: 420mm, 250mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-25-2R-2	D: 520mm, 340mm			
RAS-RGP-25-3R-1	D: 640mm, 430mm, 250mm			
RAS-RGP-25-3R-2	D: 740mm, 520mm, 340mm			
RAS-RGP-25-4R-1	D: 840mm, 640mm, 430mm, 250mm			
RAS-RGP-25-4R-2	D: 1000mm, 740mm, 520mm, 340mm			

RAS-RGP-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-26-D65	L: 6500mm X H: 2500mm	2700K - 6000K	20	45°
RAS-RGP-26-D65D		DIMMABLE		
RAS-RGP-26-D80	L: 8000mm X H: 2500mm	2700K - 6000K		
RAS-RGP-26-D80D		DIMMABLE		

RAS-RGP-27




LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-27-D70	D: 700mm X H: 260mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-27-D100D	D: 1000mm X H: 260mm			

RAS-RGP-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-28-L40	L: 400mm X W: 200mm	2700K - 6000K	20	45°
RAS-RGP-28-L60	L: 600mm X W: 200mm			
RAS-RGP-28-L80	L: 800mm X W: 200mm			
RAS-RGP-28-L100	L: 1000mm X W: 200mm			
RAS-RGP-28-L120	L: 1200mm X W: 200mm			

RAS-RGP-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-29-D20	D: 200mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-29-D40	D: 400mm			
RAS-RGP-29-D60	D: 600mm			
RAS-RGP-29-D80	D: 800mm			
RAS-RGP-29-D100	D: 1000mm			
RAS-RGP-25-2R	Any 2-ring combination from above			
RAS-RGP-29-3R	Any 3-ring combination from above			

RAS-RGP-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-34-D60	D: 600mm	2700K - 6000K	20	45°

RAS-RGP-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-31-L30	D: 300mm X H: 300mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-31-L50	D: 500mm X H: 500mm			
RAS-RGP-31-L70	D: 700mm X H: 700mm			
RAS-RGP-31-L90	D: 900mm X H: 900mm			
RAS-RGP-31-2R	Any 2-ring combination from above			
RAS-RGP-31-3R	Any 3-ring combination from above			

RAS-RGP-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-32-D30	D: 300mm X H: 300mm	2700K - 6000K	20	45°
RAS-RGP-32-D40	D: 400mm X H: 400mm			

RAS-RGP-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-33-D30	D: 300mm	2700K -6000K / DIMMABLE	20	45°
RAS-RGP-33-D50	D: 500mm			
RAS-RGP-33-D60	D: 600mm			
RAS-RGP-33-D70	D: 700mm			
RAS-RGP-33-D80	D: 800mm			
RAS-RGP-33-D100	D: 1000mm			
RAS-RGP-33-D120	D: 1200mm			
RAS-RGP-33-D150	D: 1500mm			

RAS-RGP-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-34-D20	D: 200mm	2700K - 6000K	20	45°
RAS-RGP-34-D30	D: 300mm			
RAS-RGP-34-D40	D: 400mm			
RAS-RGP-34-D50	D: 500mm			
RAS-RGP-34-D60	D: 600mm			
RAS-RGP-34-D70	D: 700mm			
RAS-RGP-34-2R	Any 2-ring combination from above			
	Any 3-ring combination from above			

RAS-RGP-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-35-L20	L: 200mm X W: 200mm	2700K - 6000K / DIMMABLE	20	45°
RAS-RGP-35-L32	L: 320mm X W: 320mm			
RAS-RGP-35-L42	L: 420mm X W: 420mm			
RAS-RGP-35-L52	L: 520mm X W: 520mm			
RAS-RGP-35-L62	L: 620mm X W: 620mm			
RAS-RGP-35-2R	Any 2-ring combination from above			
RAS-RGP-35-3R	Any 3-ring combination from above			
RAS-RGP-35-4R	Any 4-ring combination from above			

RAS-RGP-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	STAINLESS STEEL WITH CRYSTAL
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-36-D50	D: 500mm X H: 450mm	2700K - 6000K	20	45°
RAS-RGP-36-D60	D: 600mm X H: 700mm			
RAS-RGP-36-D80	D: 800mm X H: 1500mm			

RAS-RGP-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-37-D30	D: 300mm X H: 110mm	2700K - 6000K / DIMMABLE	20	45°
RAS-RGP-37-D40	D: 400mm X H: 110mm			
RAS-RGP-37-D50	D: 500mm X H: 110mm			
RAS-RGP-37-D60	D: 600mm X H: 110mm			
RAS-RGP-37-D70	D: 700mm X H: 110mm			
RAS-RGP-37-D80	D: 800mm X H: 110mm			
RAS-RGP-37-D100	D: 1000mm X H: 110mm			
RAS-RGP-37-D120	D: 1200mm X H: 110mm			

RAS-RGP-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-38-D40	D: 400mm X H: 150mm	2700K - 6000K	20	45°
RAS-RGP-38-D50	D: 300mm X H: 150mm			
RAS-RGP-38-D60	D: 400mm X H: 150mm			
RAS-RGP-38-D80	D: 500mm X H: 150mm			
RAS-RGP-38-D100	D: 600mm X H: 150mm			

RAS-RGP-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	WHITE

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-39-D40	D: 400mm X H: 400mm	2700K - 6000K / DIMMABLE	20	45°
RAS-RGP-39-D60	D: 600mm X H: 400mm			
RAS-RGP-39-D80	D: 800mm X H: 400mm			
RAS-RGP-39-D100	D: 1000mm X H: 400mm			
RAS-RGP-39-L60	L: 600mm X W: 360mm			
RAS-RGP-39-L80	L: 800mm X W: 360mm			
RAS-RGP-39-L100	L: 1000mm X W: 360mm			
RAS-RGP-39-L120	L: 1200mm X W: 360mm			

RAS-RGP-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	WHITE / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-40-D60	D: 600mm X H: 500mm	2700K - 6000K	20	45°
RAS-RGP-40-D80	D: 800mm X H: 550mm			
RAS-RGP-40-D100	D: 1000mm X H: 550mm			

RAS-RGP-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-41-D40	D: 400mm X H: 190mm	2700K - 6000K / DIMMABLE	20	45°
RAS-RGP-41-D60	D: 600mm X H: 190mm			
RAS-RGP-41-D80	D: 800mm X H: 190mm			

RAS-RGP-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	PENDANT LIGHT
TYPE	RING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BLACK / GOLD

PART NUMBER	DIMENSIONS	COLOUR TEMPERATURE	IP	BEAM ANGLE
RAS-RGP-42-D60	D: 600mm X H: 390mm	2700K - 6000K	20	45°
RAS-RGP-42-D80	D: 800mm X H: 420mm			
RAS-RGP-42-D100	D: 1000mm X H: 500mm			

rds mi

3

WALL LAMPS



MODERN WALL LAMPS



CONTEMPORARY FEATURES



EASY INSTALLATION

RAS-MW-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 140mm X H: 920mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 260mm X H: 1350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 130mm X H: 220mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH OPAL GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	D: 150mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	D: 150mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 210mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 19mm X H: 650mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	D: 150mm X H: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	D: 150mm X H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 220mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 490mm X H: 280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 480mm X H: 65mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH ACRYLIC
COLOUR	WHITE / GREEN
DIMENSIONS	D: 240mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	D: 280mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-MW-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 380mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 360mm X W: 140mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	BLACK / WHITE
DIMENSIONS	L: 240mm X W: 180mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 340mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH ACRYLIC
COLOUR	WHITE / BLACK
DIMENSIONS	D: 250mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 260mm X H: 390mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 165mm X H: 107mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	L: 150mm X W: 1200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 120mm X W: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	D: 150mm X H: 580mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH ACRYLIC
COLOUR	WHITE / BLACK / GREEN
DIMENSIONS	D: 100mm X H: 700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 140mm X H: 160mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-MW-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm X D: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 430mm X W: 430mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	D: 200mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	L: 250mm X H: 170mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH ACRYLIC
COLOUR	BLACK / WHITE / GOLD
DIMENSIONS	D: 250mm X H: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / BRASS
DIMENSIONS	D: 150mm X H: 430mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 170mm X D: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



MODERN WALL LAMPS

RAS-MW-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 550mm X W: 20mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 700mm X H: 390mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	WHITE / GREEN
DIMENSIONS	L: 100mm X H: 890mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

MODERN WALL LAMPS



RAS-MW-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 70mm X H: 420mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 140mm X H: 270mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE / GOLD
DIMENSIONS	L: 400 - 700mm X H: 160mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 240mm X W: 29mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 140mm X H: 270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH MARBLE
COLOUR	WHITE / GOLD
DIMENSIONS	D: 160mm X H: 80mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH MARBLE
COLOUR	BLACK / WHITE
DIMENSIONS	D: 230mm X H: 290mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / GOLD / BRASS
DIMENSIONS	D: 400mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH RESIN
COLOUR	BLACK / WHITE / GOLD
DIMENSIONS	L: 300 - 500mm X H: 70 - 120mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°




RAS-MW-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	L: 270mm X W: 100mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-MW-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / TIMBER
DIMENSIONS	L: 310mm X H: 45mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD
DIMENSIONS	L: 400mm X W: 180mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MW-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	CHROME / GOLD
DIMENSIONS	L: 230mm X H: 360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BLACK / GOLD / BRASS
DIMENSIONS	D: 240mm X H: 550mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	WHITE / GOLD
DIMENSIONS	D: 200mm X H: 360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	L: 200mm X W: 640mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH MARBLE
COLOUR	WHITE / GOLD
DIMENSIONS	D: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH OPAL GLASS
COLOUR	WHITE / GOLD
DIMENSIONS	D: 150mm X W: 585mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-64



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 170mm X H: 220mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-65



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH CRYSTAL
COLOUR	GOLD / BRASS
DIMENSIONS	L: 300mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-66



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / BRASS
DIMENSIONS	D: 240mm X H: 440mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MW-67



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	L: 220mm X W: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-68



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	WHITE / GOLD
DIMENSIONS	D: 200mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-69



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 800mm X W: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MW-70



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-71



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 60-100mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-72



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 300mm X H: 1100mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MW-73



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 145mm X W: 145mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-74



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	WHITE
DIMENSIONS	D: 200mm X H: 110mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-75



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	D: 280mm X W: 740mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-76



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH OPAL GRASS
COLOUR	GOLD / BRASS
DIMENSIONS	D: 280mm X H: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-77



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	CHROME / GOLD / BLACK / WHITE
DIMENSIONS	L: 102mm X H: 485mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-78



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 300mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-79



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH OPAL GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	L: 290mm X W: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-80



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH OPAL GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	D: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-81



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	GOLD / BRASS
DIMENSIONS	L: 350mm X W: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-82



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 420mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-83



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 80mm X H: 50mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-84



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 330mm X H: 900mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-85



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM OPAL GLASS
COLOUR	GOLD / WHITE
DIMENSIONS	D: 80mm X H: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-86



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	GOLD / BRASS
DIMENSIONS	D: 100mm X H: 450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-87



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 450mm X H: 130mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-88



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-89



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 180mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MW-90



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	H: 650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RETRO WALL LAMPS



ANTIQUE DESIGN



CREATES VINTAGE MOOD

RETRO WALL LAMPS



RAS-RW-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH HEMP ROPE
COLOUR	BRASS / BRONZE
DIMENSIONS	L: 150mm X H: 880mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / BRONZE / GOLD / SILVER
DIMENSIONS	W: 165mm X H: 90mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 600mm, 800mm, 990mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / SILVER
DIMENSIONS	D: 850mm X H: 560mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / BRASS / SILVER
DIMENSIONS	L: 185mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	GOLD / BRASS
DIMENSIONS	L: 510mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D: 150mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / COPPER
DIMENSIONS	L: 305mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 305mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-RW-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	HEMP ROPE
COLOUR	BROWN
DIMENSIONS	D: 260mm X H: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 770mm X W: 480mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 450mm x W: 75mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 100mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 305mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	BLACK / BRASS / TIMBER
DIMENSIONS	L: 480mm X W: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 250mm X H: 270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 160mm x H: 240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 220mm X H: 180mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH HEMP ROPE
COLOUR	BLACK / WHITE / BROWN
DIMENSIONS	D: 380mm X H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / GOLD
DIMENSIONS	L: 555mm X H: 188mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / COPPER
DIMENSIONS	D: 90mm x H: 100mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 520mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 350mm X W: 150mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 350mm X H: 170mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / BRONZE
DIMENSIONS	L: 180mm X H: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / BRONZE
DIMENSIONS	D: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 90mm x H: 160mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / BRONZE
DIMENSIONS	D: 340mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 150mm X W: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / BRASS
DIMENSIONS	D: 220mm X H: 230mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / SILVER / GREY
DIMENSIONS	L: 830mm X W: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / BRONZE
DIMENSIONS	D: 310mm X H: 310mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / BRASS / TIMBER
DIMENSIONS	L: 200mm x H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / BRONZE
DIMENSIONS	L: 415mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 150mm X W: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-RW-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / BRASS
DIMENSIONS	D: 95mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / BRASS / SILVER
DIMENSIONS	L: 650mm X W: 220mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BLACK / BRONZE
DIMENSIONS	D: 190mm X H: 240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH HEMP ROPE
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 195mm x H: 930mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 190mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 720mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	TIMBER / BROWN
DIMENSIONS	D: 200mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	TIMBER / BROWN
DIMENSIONS	L: 350mm X W: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH WOOD
COLOUR	TIMBER / BROWN / BRONZE
DIMENSIONS	D: 450mm X H: 85mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	L: 200mm x W: 100mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 305mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 60mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 600mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	BRASS / GOLD / SILVER
DIMENSIONS	L: 400mm X W: 270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	WHITE / GOLD
DIMENSIONS	D: 270mm X H: 520mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON
COLOUR	WHITE / GOLD
DIMENSIONS	L: 360mm x W: 510mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	RESIN
COLOUR	BLACK / WHITE
DIMENSIONS	D: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	RESIN
COLOUR	BLACK / WHITE
DIMENSIONS	D: 360mm X H: 420mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	RESIN
COLOUR	BLACK / WHITE
DIMENSIONS	D: 470mm X H: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN
DIMENSIONS	D: 280mm X H: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GRANITE
COLOUR	WHITE
DIMENSIONS	L: 305mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 360mm x W: 510mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 190mm X H: 360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	H: 320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RW-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 190mm X H: 370mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



BEDSIDE WALL LAMPS



PERFECT FIT FOR BEDROOMS



SPECIALLY CUSTOMISED FOR BEDROOMS

RAS-BW-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 170mm X W: 170mm X H: 350mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BLACK / WHITE
DIMENSIONS	L: 170mm X W: 170mm X H: 270mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 170mm X W: 170mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 280mm X W: 140mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 290mm X W: 180mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 380mm x W: 130mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 220mm X W: 130mm PER SHADE
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 250mm X W: 160mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 270mm X W: 160mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 150mm X W: 320mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 190mm X W: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	WHITE
DIMENSIONS	D: 250mm x H: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	D: 200mm X H: 360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	CHROME
DIMENSIONS	L: 150mm X W: 245mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / BLACK
DIMENSIONS	D: 180mm X W: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



BEDSIDE WALL LAMPS

RAS-BW-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 220mm X W: 160mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 120mm X W: 100mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D: 150mm x H: 100mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

BEDSIDE WALL LAMPS



RAS-BW-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 200mm X W: 130mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D: 120mm X H: 130mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BRASS / GOLD / BLACK
DIMENSIONS	D: 300mm X H: 130mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

3. WALL LAMPS

3. WALL LAMPS



RAS-BW-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 180m X W: 180mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D: 180mm X H: 150mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D: 150mm x H: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BRASS / GOLD
DIMENSIONS	D: 200mm X H: 270mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BRASS / GOLD / BLACK
DIMENSIONS	D: 140mm X H: 240mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	IRON WITH GLASS
COLOUR	BRASS / GOLD / BLACK
DIMENSIONS	D: 50mm X H: 330mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 150m XW: 150mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 100mm X H: 800mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 305mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 85mm XH: 150mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 110mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 135mm X H: 300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	CHROME
DIMENSIONS	L: 160m X W: 470mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 160mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 130mm X H: 200mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / GOLD
DIMENSIONS	D: 110mm X H: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-BW-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / GOLD
DIMENSIONS	D: 120mm X H: 200mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / GOLD
DIMENSIONS	D: 110m X H: 180mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 29m X H: 110mm X L: 80mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 30mm X H: 110mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	L: 110mm X W: 110mm X H: 49mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 29mm X H: 110mm X L: 160mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 140mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	L: 140mm X H: 140mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 29m X H: 110mm X L:240mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 25mm X H: 91mm X L: 178mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 25mm X H: 90mm X L: 178mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-BW-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 29mm X H: 110mm X L: 180mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 280mm X W: 155mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE / BROWN / TIMBER
DIMENSIONS	D:30mm X H: 140mm X L:450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°




RAS-BW-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L:160mm X W: 140mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 205mm X H: 130mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LIGHT
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	H: 73mm X L: 363mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-BW-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	H: 75mm X L: 363mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 12mm X L: 670mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BW-57




LUMINAIRE SPECIFICATIONS

DESCRIPTION	WALL LAMP
TYPE	BEDSIDE READING
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L:450mm X W: 110mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

4 TABLE LAMPS



MODERN TABLE LAMPS



VARIOUS APPLICATIONS



STYLISH LOOKS

RAS-MT-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:470mm X W: 170mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 615mm X W: 460mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 600mm X W: 420mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	GOLD / CHROME BLACK / WHITE
DIMENSIONS	L: 550mm X W: 280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 120mm X L: 670mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / CHROME
DIMENSIONS	D:380mm X H: 470mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L:630mm X W: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 500mm X W: 230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BLACK / WHITE / BRASS / CHROME
DIMENSIONS	D: 100mm X H: 610mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BLACK / WHITE / GOLD / CHORME
DIMENSIONS	L: 550mm X W: 450m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 70mm X H: 490mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / CHROME
DIMENSIONS	D:370mm X H: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:180mm X W: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 195mm X W: 514mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 160mm X H: 565mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK /WHITE
DIMENSIONS	D: 135mm X H: 510m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:305mm X H: 610mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:130mm X W: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 460mm X W: 540mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 310mm X H: 540mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-MT-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 250mm X H: 550m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 300mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CRHOME
DIMENSIONS	D:220mm X H: 720mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MT-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / CHROME
DIMENSIONS	D:80mm X W: 340mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / CHROME
DIMENSIONS	D: 85mm X W: 235mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 200mm X H: 560mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MT-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	D: 280mm X H: 480m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	D: 390mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	D:300mm X H: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / RED / BLUE
DIMENSIONS	D:230mm X W: 500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 165mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD /CHROME
DIMENSIONS	L: 450mm X H: 150m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BLACK / WHITE
DIMENSIONS	D: 350mm X H: 550mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:400mm X H: 420mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MT-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	L:190mm X W: 175mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BLACK / WHITE
DIMENSIONS	L: 200mm x H: 360mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-MT-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 200mm X H: 395m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS/ GOLD / CHROME
DIMENSIONS	D: 200mm X H: 380mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:250mm X H: 383mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:230mm X H: 310mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 320mm X H: 260mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 200mm x H: 470mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 200mm X H: 450m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS/ GOLD / CHROME
DIMENSIONS	D: 200mm X H: 250mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:200mm X H: 525mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:250mm X H: 310mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 150mm X H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	GOLD / CHROME / BROWN / TIMBER
DIMENSIONS	L: 200mm x H: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME / WHITE / BLACK
DIMENSIONS	D: 200mm X H: 520m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS/ GOLD / CHROME / WHITE / BLACK
DIMENSIONS	D:150mm X H: 560mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:260mm X H: 540mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:320mm X H: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 380mm X H: 560mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 400mm x H: 850mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 350mm X H: 400m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS/ GOLD / CHROME
DIMENSIONS	D:420mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:260mm X H: 650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	RESIN
COLOUR	BLACK / WHITE / RED
DIMENSIONS	D:180mm X H: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 230mm X H: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 140mm x H: 470mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-64



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD /CHROME
DIMENSIONS	D: 470mm X H: 770m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-65



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS/ GOLD / CHROME
DIMENSIONS	D:300mm X H: 490mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-MT-66



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:260mm X H: 650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



BEDSIDE TABLE LAMPS



COSY BEDROOM ENVIRONMENT



MULTIPLE CUSTIMISATION OPTIONS

BEDSIDE TABLE LAMPS



RAS-BT-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 380mm X H: 670m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS/ GOLD / CHROME
DIMENSIONS	D:350mm X H: 490mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:380mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



BEDSIDE TABLE LAMPS

RAS-BT-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:350mm X H: 480mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ACRYLIC
COLOUR	BLACK / WHITE / GREEN
DIMENSIONS	D: 300mm X H: 530mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 340mm x H: 580mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

BEDSIDE TABLE LAMPS



RAS-BT-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH HEMP ROPE
COLOUR	BROWN
DIMENSIONS	D: 280mm X H: 600m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS/ GOLD / CHROME
DIMENSIONS	D:380mm X H: 650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BRASS / GOLD / CHROME / JADE
DIMENSIONS	L:160mm X H: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	D:120mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 180mm X H: 330mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE
DIMENSIONS	L: 130mm x H: 500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREY
DIMENSIONS	D: 200mm X H: 430m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:240mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:280mm X H: 475mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / YELLOW
DIMENSIONS	D:300mm X H: 480mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREEN / BLUE
DIMENSIONS	D: 230mm X H: 460mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	L: 250mm x H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 300mm X H: 510m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / YELLOW
DIMENSIONS	D:250mm X H: 530mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME / GREEN
DIMENSIONS	D:440mm X H: 690mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREEN
DIMENSIONS	D:330mm X H: 450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 220mm X H: 430mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 115mm x H: 520mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 260mm X H: 530m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:300mm X H: 530mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D:240mm X H: 480mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



BEDSIDE TABLE LAMPS

RAS-BT-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D:200mm X H: 460mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BROWN / TIMBER
DIMENSIONS	D: 200mm X H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ACRYLIC
COLOUR	BLACK / WHITE / GREEN / BLUE
DIMENSIONS	D: 400mm x H: 700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



BEDSIDE TABLE LAMPS

RAS-BT-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / AMBER
DIMENSIONS	D: 240mm X H: 270m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:230mm X H: 460mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:300mm X H: 480mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD
COLOUR	BLACK / BROWN
DIMENSIONS	D:260mm X H: 660mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / WHITE
DIMENSIONS	D: 300mm X H: 540mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
COLOUR	TRANSPARENT / WHITE / BLACK
DIMENSIONS	D: 250mm x H: 400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 290mm X H: 600m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:200mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:320mm X H: 600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:370mm X H: 700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 370mm X H: 600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 320mm x H: 560mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 278mm X H: 440m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GREEN
DIMENSIONS	D:320mm X H: 500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:350mm X H: 650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE & GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D:250mm X H: 550mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 180mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E14 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 370mm x H: 750mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 180mm X H: 480m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
COLOUR	TRANSPARENT
DIMENSIONS	D:290mm X H: 400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	W:235mm X L: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D:290mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	MARBLE WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 200mm X H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 330mm x H: 430mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	MARBLE WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 230mm X H: 240m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D:300mm X H: 450mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	GLASS
COLOUR	TRANSPARENT
DIMENSIONS	D:180mm X L: 290mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH FABRIC
COLOUR	BLACK / WHITE / GREEN
DIMENSIONS	D:340mm X H: 510mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH FABRIC
COLOUR	BLACK / WHITE / GREEN
DIMENSIONS	D: 310mm X H: 510mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH FABRIC
COLOUR	BLACK / WHITE / PINK
DIMENSIONS	D: 340mm x H: 510mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH FABRIC
COLOUR	BLACK / WHITE
DIMENSIONS	D: 330mm X H: 540m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH FABRIC
COLOUR	BLACK / WHITE
DIMENSIONS	D:360mm X H: 550mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-BT-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	BEDSIDE
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH FABRIC
COLOUR	BLACK / WHITE
DIMENSIONS	D:340mm X L: 540mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RETRO TABLE LAMPS



CLASSICAL DESIGN



UNIQUE & CREATIVE FEATURES

RETRO TABLE LAMPS



RAS-RT-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 130mm X H:280mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:110mm X H:300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:90mm X H: 90mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD/ CHROME
DIMENSIONS	D:90mm X H: 140mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 200mm X H: 290mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 170mm x H: 450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 220mm X H: 390mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:200mm X H: 550mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:115mm X H: 625mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK /WHITE
DIMENSIONS	D:145mm X H: 925mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK /WHITE
DIMENSIONS	D: 175mm X H: 925mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 210mm x H: 925mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / BRASS / GOLD
DIMENSIONS	D: 220mm X H: 460mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / BRASS / GOLD
DIMENSIONS	D: 185mm X H: 655mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	
COLOUR	BLACK / WHITE
DIMENSIONS	L:260mm X H: 440mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:150mm X H: 410mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 70mm X H: 350mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BRASS / BLACK
DIMENSIONS	D: 180mm x H: 300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD
DIMENSIONS	D: 130mm X H: 210mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BRASS / GOLD / BLACK
DIMENSIONS	D: 440mm X H: 660mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-RT-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	TABLE LAMP
TYPE	RETRO
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH ACRYLIC
COLOUR	BRASS / GOLD / BLACK
DIMENSIONS	L:260mm X H: 440mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



5 FLOOR LAMPS



FLOOR LAMPS



RAS-FL-01



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD /CHROME
DIMENSIONS	D: 240mm X H: 1780m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-02



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:240mm X H: 1660mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-03



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D:130mm X H: 1730mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-04



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:270mm X H: 1550mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-05



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 320mm X H: 1540mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-06



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 350mm x H: 1950mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-07



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD /CHROME
DIMENSIONS	D: 260mm X H: 1600m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-08



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:280mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-09



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 400mm X H: 2300mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-10



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:450mm X H: 1500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-11



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE & GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 250mm X H: 1630mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-12



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 950mm x H: 2280mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-13



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 350mm X H: 1920m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-14



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D:600mm X H: 1700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-15



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:240mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-16



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:280mm X H: 1450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-17



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 400mm X H: 1440mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-18



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 250mm x H: 1500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-19



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD /CHROME
DIMENSIONS	D: 330mm X H: 1550m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-20



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D:200mm X H: 1470mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-21



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:250mm X H: 1440mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-22



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:500mm X H: 1700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-23



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 340mm X H: 1700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-24



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:3250mm x H: 1550mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-25



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD /CHROME
DIMENSIONS	D: 480mm X H: 1550m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-26



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:300mm X H: 1540mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-27



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:600mm X H: 16-0mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-28



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BLACK / WHITE
DIMENSIONS	D:400mm X H: 1270mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-29



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 280mm X H: 1750mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-30



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:18mm x H: 1230mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-31



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 360mm X H: 1500m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-32



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:450mm X H: 1500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-33



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L:180mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-34



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:490mm X H: 1630mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-35



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 430mm X H: 1450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-FL-36



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:370mm x H: 1400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-37



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 600mm X H: 1900m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-38



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:420mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-39



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:220mm X H: 1360mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-40



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:280mm X H: 1700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-41



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 430mm X H: 1620mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-42



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:550mm x H: 1620mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-43



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 340mm X H: 1730m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-44



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:520mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-45



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:250mm X H: 1640mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-46



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:280mm X H: 1600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-47



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 300mm X H: 1650mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-48



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / YELLOW
DIMENSIONS	D:200mm x H: 1400mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-49



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 150mm X H: 1550m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-50



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:300mm X H: 1500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-51



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:200mm X H: 1320mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-52



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:480mm X H: 1650mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-53



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 400mm X H: 1580mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-54



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:620mm x H: 1750mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-55



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / GOLD / CHROME
DIMENSIONS	D: 550mm X H: 1600m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-56



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:400mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-57



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:500mm X H: 1500mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-58



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD WITH SHADE
COLOUR	BLACK / WHITE
DIMENSIONS	D:400mm X H: 1520mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-59



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 410mm X H: 1500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-60



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:300mm x H: 1800mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°



RAS-FL-61



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 560mm X H: 1650m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-62



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BROWN / TIMBER
DIMENSIONS	D:400mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-63



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:500mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-64



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD WITH SHADE
COLOUR	BLACK / WHITE
DIMENSIONS	D:150mm X H: 1690mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-65



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 700mm X H: 1900mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-66



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:1000mm x H: 1700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-67



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 300mm X H: 1650m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-68



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD WITH SHADE
COLOUR	BROWN / TIMBER
DIMENSIONS	D:780mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-69



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:460mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-70



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD WITH SHADE
COLOUR	BLACK / WHITE
DIMENSIONS	D:150mm X H: 1690mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-71



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 700mm X H: 1900mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-72



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:800mm x H: 1700mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-73



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	WOOD WITH MARBLE & GLASS
COLOUR	BLACK / WHITE
DIMENSIONS	D: 400mm X H: 900m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-74



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:870mm X H: 1075mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-75



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BLACK / WHITE
DIMENSIONS	D:350mm X H: 1700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-76



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD & GLASS
COLOUR	BLACK / WHITE / TIMBER
DIMENSIONS	D:350mm X H: 660mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-77



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 450mm X H: 1600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-78



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:450mm x H: 1550mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-79



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 420mm X H: 1590m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-80



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L:1800mm X H: 2100mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-81



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D:400mm X H: 1700mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-82



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE / RED
DIMENSIONS	D:200mm X H: 1450mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-83



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 230mm X H: 1800mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-84



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D:400mm x H: 2300mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-85



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH WOOD
COLOUR	BLACK / WHITE / TIMBER
DIMENSIONS	D: 400mm X H: 600m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-86



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 450mm X H: 1580mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-FL-87



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 1200mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°


RAS-FL-88



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L:15mm X H: 1800mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-89



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME / BLACK / WHITE
DIMENSIONS	D: 250mm X H: 1600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-90



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 860mm x H: 1600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-91



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 300mm X H: 1550m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-92



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 300mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-93



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L: 370mm X H: 1400mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-94



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	L:500mm X H: 1950mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-95



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH MARBLE
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 930mm X H: 1600mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-96



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 700mm x H: 1780mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-97



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 300mm X H: 1460m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-98



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 370mm X H: 1650mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-99



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 600mm X H: 1550mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-100



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH SHADE
COLOUR	BLACK / WHITE
DIMENSIONS	L:400mm X H: 1500mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-101



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITH GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	L: 350mm X H: 1680mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-102



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED SMD CHIP
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 580mm x H: 1730mm
COLOUR TEMPERATURE	2700K-6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-103



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 280mm X H: 1600m
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-104



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM
COLOUR	BLACK / WHITE
DIMENSIONS	D: 430mm X H: 1800mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

RAS-FL-105



LUMINAIRE SPECIFICATIONS

DESCRIPTION	FLOOR LAMP
TYPE	MODERN
LIGHT SOURCE	LED E27 BULB
VOLTAGE	220-240VAC
HOUSING	ALUMINIUM WITHE GLASS
COLOUR	BRASS / GOLD / CHROME
DIMENSIONS	D: 400mm X H: 1600mm
COLOUR TEMPERATURE	2700K - 6000K
IP GRADE	20
BEAM ANGLE	45°

